

## Practice Exam Answers

Extended Matching Question			
Type	Sequence Number	Correct Answer	Correct Answer Text
EMQ	1	G	Munchausen's by proxy.
EMQ	2	I	Specific phobia.
EMQ	3	C	Delusional disorder.
EMQ	4	B	Cluster A personality disorder.
EMQ	5	J	Ventromedial hypothalamus
EMQ	6	D	Dorsolateral frontal lobe.
EMQ	7	C	Dominant parietal lobe.
EMQ	8	G	Mammillary bodies.
EMQ	9	A	Acamprosate.
EMQ	10	B	Avoidant personality disorder.
EMQ	11	F	Obsessive-compulsive personality disorder.
EMQ	12	E	Obsessive-compulsive disorder.
EMQ	13	A	Dissociation.
EMQ	14	D	Fugue state.
EMQ	15	E	Phenytoin
EMQ	16	F	Sodium valproate.
EMQ	17	G	Mens rea.
EMQ	18	E	Neologism.
EMQ	19	B	Derailment.
EMQ	20	I	Verbigeration.
EMQ	21	A	Clang associations.
EMQ	22	K	Unipolar depression with psychotic features.
EMQ	23	B	Bereavement reaction.
EMQ	24	J	Stimulant intoxication.
EMQ	25	I	Schizophrenia.

## Practice Exam Answers

Critical Analysis Problem			
Type	Sequence Number	Correct Answer	Correct Answer Text
CAP - Question 1	28	D	Level III-2
CAP - Question 2	29	A	Aetiology
CAP - Question 3	30	E	How privacy and confidentiality will be protected.
CAP - Question 4	31	G	Identifying the potential benefits of the study and identifying to whom benefits are likely to accrue.
CAP - Question 5	32	J K	Selection bias Systematic error
CAP - Question 6	33	A F	Definitions of cases/non-cases Interviewer bias
CAP - Question 7	34	I	Recall bias
CAP - Question 8	35	E	Two-sample t test
CAP - Question 9	36	B	There was less than a 0.1% chance that marital status did not truly differ between the groups
CAP - Question 10	37	B	Chi-square test
CAP - Question 11	38	B	Mood disorders.
CAP - Question 12	39	C	1/40
CAP - Question 13	40	B	There was a significant association between not currently married and completed suicide. The association was due to the contribution of males.